Test #4 (Tuesday, 7:30am)

Topics:

- Our Milky Way Galaxy
- Galaxies, Normal and Active
- Cluster of Galaxies and Large Scale Structures
- Cosmology, the Beginning and The End of the Universe
- Life in the Universe

Methods

- Conceptual Review and Practice Problems Chapters 14 - 18
- Review lectures (on-line) and know answers to clicker questions
- Try practice quizzes on-line
- Bring:
- Two Number 2 pencils
- Simple calculator (no electronic notes)

Life in the Universe

Is there anybody out there? What might other forms of life look like? What about intelligent life? What do we mean by "living"? What do we mean by "intelligent"?

Pale Blue Dot

Earth as seen from Voyager 1, when it was 6 billion km from home.

View from Apollo 17

View from overhead (courtesy google Earth)

What does the dominant life form look like?

What is Life?

Seven tests for life

1. Complex Organization
2. Convert food to energy
3. Reproduce
4. Growth and Development
5. Respond to stimuli
6. Adapt to Environment
7. Show individual variation

Now Define Intelligent Life

Intelligent Life:

1. Ability to use tools
2. Language
3. Ability to learn

Geologic Time (The cosmic calendar)

January 1st Earth forms	**February** First oceans	**March** 20th First signs of Life
April Early Life develops	**May** Early life develops	**June** Early life develops
July Early life develops	**August** Early life develops	**September** Early life develops
October Early life develops	**November** 15th primitive ocean life begins 28th life on land Rapid development	**December** 12th Dinosaurs 24th Dino's disappear 31st early evening - humanoids

December 31st

8–11:45pm - stone tools
11:54pm – first civilizations
11:59:46 – Christian era
11:59:59 – Declaration of Independence

Clicker Question:

Which land animal on Earth is or was the dominant species for 150 million years?

A: man and other hominids

B: dogs and other canines

C: dinosaurs

D: insects

Clicker Question:

Which of the following is NOT necessarily a sign of intelligent life?

A: ability to communicate (use language)

B: ability to learn

C: ability to reproduce

D: ability to use tools

Clicker Question:

Are there other intelligent life forms in our Galaxy that we could communicate with?

A: No, just 1 advanced civilization in the whole Milky Way

B: Yes, a few perhaps 100 in the Milky Way

C: Yes, many, 10000 in the Milky Way

D: Yes, lots, 1 million in the Milky Way

The Drake Equation

$$N = R_* f_p n_e f_l f_i f_c L$$

the number of civilizations in the Galaxy that can communicate across stellar distances

The Drake Equation

$$N = R_* f_p n_e f_l f_i f_c L$$

number of technological, intelligent civilizations in the Milky Way = rate at which new stars are formed x fraction of stars having planetary systems x average number of habitable planets within those planetary systems

x fraction of those habitable planets on which life arises x fraction of those life-bearing planets on which intelligence evolves x fraction of those planets with intelligent life that develop technological society x average lifetime of a technological civilization

Each term is less certain than the preceding one!

$$N = R_* f_p n_e f_l f_i f_c L$$

the ***rate*** at which suitable new ***stars are forming*** each year in the Galaxy

The Galaxy has ~10^{11} stars, which are forming, living, and dying in billion year cycles-

Stars are the fundamental platforms and energy sources for life…



$$N = R_* f_p n_e f_l f_i f_c L$$



HST studied the three central pillars of the Eagle Nebula

$$N = R_* f_p n_e f_l f_i f_c L$$

R_* is pretty well known because astronomical technology is up to the task of measuring it…

$R_* \sim 10$ stars per year

$$N = R_* f_p n_e f_l f_i f_c L$$

the fraction of suitable new stars around which ***planets form***





$$N = R_* f_p n_e f_l f_i f_c L$$



Another way to find planets…



$$N = R_* f_p n_e f_l f_i f_c L$$

f_p is becoming better known as we speak… long term Doppler programs and future space mission like TPF and Darwin will increase our knowledge.

$$f_p \sim 0.5$$

$$N = R_* f_p n_e f_l f_i f_c L$$

the number of planets residing in an ***ecosphere***, the shell of life

Direct energy: light from star

- Proximity to star (too close, too far, just right)
- Atmosphere of planet (climatic evolution)
- Ozone layer protects us from harmful UV-rays

Indirect energy: localized

- Solar wind + local magnetosphere
- Geothermal (radioactive decay)
- Central Planet (tidal forces on moons)

Requires stability for billions of years

$$N = R_* f_p n_e f_l f_i f_c L$$

Rare Earth? *Venus*



Too close to the Sun

Venus suffers from a runaway Greenhouse effect, in which light energy from the star is trapped as heat by the atmosphere.

$$N = R_* f_p n_e f_l f_i f_c L$$



Too far from the Sun

Mars suffers from a runaway Ice Catastrophe, in which light energy from the star is reflected back into space.

$$N = R_* f_p n_e f_l f_i f_c L$$

In the zone …



$$N = R_* f_p n_e f_l f_i f_c L$$

n_e probably is zero in some planetary systems and is a few to several in others (ours?). We need to know what n_e is on average, its typical value.

n_e uncertain (~ 2?)

$$N = R_* f_p n_e f_l f_i f_c L$$

the fraction of ecosphere planets on which ***life arises***

Key Question: how readily does life arise?

$N = R_* f_p n_e f_l f_i f_c L$

- All life (as we know it) is made of carbon based molecular chains
- Only 30 complex molecules comprised of only five (5) basic elements
- Urey-Miller experiment in 1953 showed that we could build amino acids



DNA molecule

C = carbon
H = hydrogen
N = nitrogen
O = oxygen
P = phosphorous

Binding Energy per nucleon



Ten most common elements in the Milky Way Galaxy estimated spectroscopically[1]

Z	Element	Mass fraction in parts per million	
1	Hydrogen	739,000	71 × mass of Oxygen (red bar)
2	Helium	240,000	23 × mass of Oxygen (red bar)
8	Oxygen	10,400	
6	Carbon	4,600	
10	Neon	1,340	
26	Iron	1,090	
7	Nitrogen	960	
14	Silicon	650	
12	Magnesium	580	
16	Sulfur	440	

$N = R_* f_p n_e f_l f_i f_c L$

- C, H, N, and O are among the seven most abundant elements is the universe
- The five elements of life are created in stars and supernovae explosions distributed them throughout the interstellar medium
- Organic molecules, such as amino acids, are commonly found in interstellar, molecular gas clouds, and in comets and meteorites

$N = R_* f_p n_e f_l f_i f_c L$

Comets, such as Halley, contain water ice and organic molecules, which are evaporated into interplanetary space



- Building blocks of planets during planet formation epoch
- Deposit water and organic molecules on planets
- Can alter course of evolution if impacting life bearing planet

$$N = R_* f_p n_e f_l f_i f_c L$$

Just how robust is life?

• Life persists in a wide range of terrestrial environments- from the high desert to frozen ice tundra, from the tropics to the black depths of the oceans…

Are there alternatives to photosynthesis?

• Life in the ocean depths exploits geothermal energy and survives *not* on sunlight, but on bacteria that metabolizes sulfuric acid outgasing from thermal vents

Life can arise in a range of environments and can survive on a variety of primary energy sources.

$N = R_* f_p n_e f_l f_i f_c L$

How will we detect signs of life on extrasolar planets?

Terrestrial Planet Finder will take spectra of earth sized planets up to 30 light years away!

Ozone, water, and carbon dioxide absorption features are indirect indicators of life processes (photosynthetic)



$$N = R_* f_p n_e f_l f_i f_c L$$

f_l , presently, can be guesstimated only by carefully studying our solar system, and in particular, Earth.

That life is a "language" with a 30 molecule "alphabet" and is comprised of the five most abundant elements is encouraging

$f_l \sim 0.1\text{-}1$ (?)

NOTE: f_l is likely *not* vanishingly small, say 10^{-8} or so

Clicker Question:

What element is NOT commonly found in your body?

A: H - hydrogen

B: He - helium

C: C - carbon

D: O - oxygen

Clicker Question:

What is the Drake equation used to estimate?

A: The number of stars in the Galaxy

B: The number of intelligent civilizations in the Galaxy

C: The number of habitable planets in the Universe

D: The number of life forms on Earth

$$N = R_* f_p n_e f_l f_i f_c L$$

the fraction of life bearing planets upon which ***intelligence arises***

- How to define intelligence? (especially if you can't give it an exam)

$$N = R_* f_p n_e f_l f_i f_c L$$

Defining intelligence…

Encephalization Quotient

Encephalization (E) is the ratio of brain mass to body "surface mass"

$$E = \frac{\text{Brain Mass}}{(\text{Body Mass})^{2/3}}$$

$$N = R_* f_p n_e f_l f_i f_c L$$

Encephalization Quotient

Encephalization Quotient (EQ) measures how "intelligent" a species is relative to other *comparable* life forms

$$EQ = \frac{E(\text{actual})}{E(\text{average})}$$

land mammals

EQ(cows) = 0.2
EQ(dogs) = 1
EQ(chimps) = 4
EQ(humans) = 8

$$N = R_* f_p n_e f_l f_i f_c L$$



$$N = R_* f_p n_e f_l f_i f_c L$$



$$N = R_* f_p n_e f_l f_i f_c L$$

Were some dinosaurs smart?

They evolved over 160 million years, whereas humans have been around only 200 thousand years… what was different?



$N = R_* f_p n_e f_l f_i f_c L$

In fact, some dinosaurs were “intelligent”, with EQ ~ 6 !



$$N = R_* f_p n_e f_l f_i f_c L$$

Tröodon

- Binocular Vision
- Stereoscopic Hearing
- Dexterous “Hands”
- Omniverous
- Largest EQ of dinosaurs



$$N = R_* f_p n_e f_l f_i f_c L$$

f_i can only be studied via the history of intelligence on Earth

- intelligence has always steadily increased with time, even with the repeated mass extinctions

$f_i \sim 0.1\text{-}1$ (?)

NOTE: f_i is likely *not* vanishingly small, say 10^{-8} or so except maybe on the Hill

$$N = R_* f_p n_e f_l f_i f_c L$$

the fraction of planets hosting intelligent life where a *technological civilization* arises at least once

Must be able to communicate across stellar distances

Must be fast : Must be economical

➔ *electromagnetic radiation*

$$N = R_* f_p n_e f_l f_i f_c L$$

Technology. In the form of electromagnetic transmitters…

The physics is the same everywhere and is easily understood/developed

This simple technology was conceived and built only 5000 yrs after the pyramids and 10,000 yrs after writing appeared

The Very Large Array

Hello, Earth calling…

Powerful broadcast transmissions began ~ 1945

By 2010, the sphere has a 65 light year radius and has illuminated ~1800 stars!



$$N = R_* f_p n_e f_l f_i f_c L$$

The road to technology…

1. Ecological competitiveness and aggressive domination of habitat; frees species from "survive or die" centered consciousness
2. Living and working in groups; leads species to higher socialization stratification and communication skills
3. Control of fire (a technology)
4. Settlements and migrations; a ceasing of previous nomadic lifestyles
5. Development of agriculture and food storage

$$N = R_* f_p n_e f_l f_i f_c L$$

Why not dinosaurs?

Dinosaurs dominated Earth for 165 million years… why did they not develop radios and TVs?

No single type of dinosaur ever had complete dominion over its habitat in the way that modern humans have for some 30,000 years now.

Dinosaurs never surpassed a “survive or die” centered consciousness level, even though some were quite intelligent.

$$N = R_* f_p n_e f_l f_i f_c L$$

f_c can only be understood in terms of the human experience of technological development

- once humans dominated their habitat, the development of technology took only ~10,000 years, or 500 generations

$f_c \sim 0.1\text{-}1$ (?)

$$N = R_* f_p n_e f_l f_i f_c L$$

the <u>average</u> ***lifetime*** (in years), that technological civilizations remain in a *communicative* or *detectable* state

Do civilizations quickly destroy themselves, run out of natural resources, or after a brief time become quiet (i.e., dismantle or baffle their technology), or remain detectable for millions of years?

$N = R_* f_p n_e f_l f_i f_c L$

Evaluating N…

R_*	=	5-10
f_p	=	0.5
n_e	=	2
f_l	=	0.1-1
f_i	=	0.1-1
f_c	=	0.1-1

Maximum N = 10 L

Moderate N = L

Minimum N = 0.005 L

$N \sim L$

Take L ~ 10000, 1 civilization every 400 pc in the Milky Way

Clicker Question:

Are there other intelligent life forms in our Galaxy that we could communicate with?

A: No, just 1 advanced civilization in the whole Milky Way

B: Yes, a few perhaps 100 in the Milky Way

C: Yes, many, 10000 in the Milky Way

D: Yes, lots, 1 million in the Milky Way

SETI: Search for Extraterrestrial Intelligence



Where the universe is quiet, of course!

where cosmic noise is minimal at ~3 gigahertz; *we exploit this window for our TV and satellite transmissions. ATA began operating Oct 2007*

Life in Astro 101



Life in Astro 101

Cow philosophy